Amendments to the Claims

- 1. (ORIGINAL) A method of manufacturing a curved flat panel display device, comprising the step of adhering, at least a first film to the surface of a second film, in such a way that the films are held in a curved shape by means of the adhesion between the films.
- 2. (ORIGINAL) A method as in claim 1, wherein one of said films is a display layer exhibiting display functionality, and the other one of said layerfilms is an additional film.
- 3. (ORIGINAL) A method as in claim 2, further comprising the step of pretensioning said additional film before it is adhered to the surface of said display layer.
- 4. (ORIGINAL) A method as in claim 3, wherein the step of pre-tensioning said additional film comprises the step of uni-axially stretching said additional film, during the adhering process.
- 5. (CURRENTLY AMENDED) A method as in claim 2, 3 or 4claim 2, wherein the step of adhering the films to each other comprises the step of applying a bending force to one of said films, in which position the other film is bent and adhered to a surface of the bent film.
- 6. (CURRENTLY AMENDED) A method as in any one of the claims 2-5claim 2, wherein said additional film is arranged to be adhered to one of an intended inner or outer side of the curvature of the flat panel display.
- 7. (CURRENTLY AMENDED) A method as in any one of the claims 2-6claim 2, wherein said adhering of the additional film to the display film is done by means of laminating.
- 8. (ORIGINAL) A curved flat panel display device, comprising at least a first and a second film, characterised in that the first and second films are adhered to each

other, whereby the adhesion between said films is arranged to hold the display device in a curved shape.

- 9. (ORIGINAL) A display device as in claim 8, wherein the first and second film is an additional film and a display layer, respectively.
- 10. (CURRENTLY AMENDED) A curved display device, being manufactured in accordance with any one of the claims 1-7claim 1.
- 11. (CURRENTLY AMENDED) A display device as in elaim 9 or 10claim 9, wherein said additional film is arranged to cover essentially the entire surface of the display layer.
- 12. (CURRENTLY AMENDED) A display device as in claim 9 or 10claim 9, wherein said additional film is arranged to only partly cover parts of the surface of the display layer.
- 13. (CURRENTLY AMENDED) A display device as in claim 9 or 10 claim 9, wherein said additional film is arranged essentially along an edge of the display layer surface.
- 14. (CURRENTLY AMENDED) A display device as in any one of the claims 9-13 claim 9, wherein the additional film has a varying thickness.
- 15. (CURRENTLY AMENDED) A display device as in any one of the claims 9-14claim 9, wherein the thickness of said additional film is selected to shift a plane of essentially zero tensile or compressive stress of the display device upon bending of the display device to a desired plane of the display device cross section.
- 16. (CURRENTLY AMENDED) A display device as in elaim 9-15 claim 9, wherein said display device is one of an liquid crystal display device, an electrophoretic display device, an e-ink device, a polymer light emitting display

Appl. No. Unassigned; Do No. NL02 1164 US Amdt. dated 19-May-2005
Preliminary Amendment

device or an organic light emitting display device.

17. (CURRENTLY AMENDED) A display device as in elaim 9-16claim 9, wherein said additional film further is arranged to function as at least one of polariser, a front light, a backlight, a brightness enhancing film, a reflector film, an anti-reflection film or a retardation film.